
## Sample Question 1

Allotted time: 25 minutes (plus 5 minutes to submit)

t (hours)	0	0.3	1	2.8	4
$v_p(t)$ (meters per hour)	0	55	-29	55	48



The velocity of a particle, P, moving along the x-axis is given by the differentiable function  $v_P(t)$ , where  $v_P(t)$  is measured in meters per hour and t is measured in hours. Selected values of  $v_P(t)$  are shown in the table above. Particle P is at the origin at time t = 0. The acceleration of particle P,  $a_P(t)$ , at t = 1 is known to be  $a_P(1) = -10$ .

Also, the continuous function f is defined on the closed interval  $-6 \le t \le 5$ . The figure above shows a portion of the graph of f, consisting of two line segments and a quarter of a circle centered at the point (5,3). It is known that the point  $(3,3-\sqrt{5})$  is on the graph of f.


(a) Find 
$$\frac{d}{dt}[f(t) \cdot v_P(t)]|_{t=1}$$

- (b) Use a trapezoidal sum with the three subintervals [0,0.3], [0.3,1], and [1,2.8] to approximate the value of  $\int_{0}^{2.8} v_p(t) dt$ .
- (c) If  $\int_{-6}^{5} f(t) dt = 7$ , find the value of  $\int_{-6}^{-2} f(t) dt$ . Show the work that leads to your answer.
- (d) Evaluate  $\int_{3}^{5} (2f'(t) + 4)dt.$
- (e) The function g is given by  $g(t) = \int_{-2}^{t} f(x) dx$ . Find the absolute maximum of g on the interval  $-2 \le x \le 5$ . Justify your answer.
- (f) Using g(t) from part (e), is the rate of change in g increasing or decreasing at t=3? Explain your reasoning.

(g) Find 
$$\lim_{t\to 1} \frac{e^t - 3f(t)}{v_P(t) - \cos(\pi t)}$$
.

## Sample Question #2

**Allotted time:** 15 Minutes (plus 5 minutes to submit)



A cylindrical barrel with a diameter of 6 meters contains collected rainwater, as shown in the figure above. The water drains out through a valve (not shown) at the bottom of the barrel. The rate of change of the height h of the water in the barrel with respect to time t is modeled by  $\frac{dh}{dt} = -\frac{1}{5}\sqrt{h}$ , where h is measured in meters and t is measured in seconds. (The volume V of a cylinder with radius r and height h is  $V = \pi r^2 h$ .)

- (a) Find the rate of change of the volume of water in the barrel with respect to time when the height of the water is 10 meters. Indicate units of measure.
- (b) When the height of the water is 8 meters, is the rate of change of the height of the water with respect to time increasing or decreasing? Explain your reasoning.
- (c) At time t = 0 seconds, the height of the water is 16 meters. Use separation of variables to find an expression for h in terms of t.